


1.4.


INDEX MAPS.

T. 8N R. 5W 2nd Mer.



Meandering 71

T. 9N R. 5W 2nd Mer.



The figures on the lines refer to the page.

Township No. 9 North of Range No. 5 West 2nd Mer. Ind.

75

Ch. P. Lk.

South Boundary

Apr. 21. 1871.

East

On a Run and line 6 miles and full 6 ch. North of the Town. Cr.; corrected and marked the line.

West

On the South Boundary of Sec. 36. T. 9. N. R. 5 W.

39.00

To a Bank 12. links wide; Course S.

4000

Set a post for the cor. of 1/4 sec. from which a
Buck 8. in. diam. bears N. 63. E. 12. links dist. & a
Sugar 14. " " " S. 47. W. 9. " "

8000

Set a post for the cor. of Sec. 35. & 36. from which a
Hick 12. in. diam. bears N. 65. W. 30 links dist. & a
Sycamore 3. " " " S. 61. E. 16. " "

West

On the South Boundary of Sec. 35. T. 9. N. R. 5. W.

4000

Set a post for the cor. of 1/4 Sec. from which a
W. Oak 14. in. diam. bears S. 13. W. 36. links dist. & a
" Do 18. " " " N. 4. E. 60. " "

8000

Set a post for the cor. of Sec. 34. & 35. T. 9. N. R. 5. W.
from which a W. Oak 11. in. diam. bears S. 51. W. 24. links dist. & a
and an Oc. Oak 18. " " " N. 86. E. 47. " "
Land poor. Timber Oak, & Beech.

West

On the South Boundary of Sec. 34. T. 9. N. R. 5. W.

4000

Set a post for the cor. of 1/4 Sec. from which a
Yum 12. in. diam. bears S. 47. E. 37. links dist. & a
W. Oak 15 " " " N. 56. E. 37. " "

8000

Set a post for the cor. of Sec. 33. & 34. from which a
Sycamore 4. in. diam. bears S. 77. E. 10. links dist. & a
W. Ash 14 " " " N. 20. W. 13. " "
Land middling good; Timber Oak, &

West

On the South Boundary of Sec. 33. T. 9. N. R. 5 W.

4000

Set a post from which a
Buck 14 in. diam. bears S. 29 W. 19 links dist. & a

T. N. 8. N. R. N. 5 W. 2nd M. Ind.

45.50 AB Oak 24 in. diam. bund. N 29 E. 38 links out;
 Tralorak 12 links in, Course S W.
 80.00 Set a post for the cor. of Sec. 33. & 32 from which a
 Gum 16 in. diam. bears N. 44. W. 41. links out & a
 Do 20. " " " S. 59. E. 38. " "
 Land and timber the same as above.

Went On the South Boundary of Sec. 32. T. 9. N. R. 5 W.
 8.00 Tralorak 100 links in, Course S.
 40.00 Set a post from which
 Oak 13 in. diam. bund. N 65 W. 4 links out; &
 Do. 20 " " " S 42 E. 20 " "
 64.25 Tralorak 200 links in, Course S. E.
 77.00 " " River 200 links in, " N.
 80.00 Set a post for the cor. of Sec. 31 & 32 from which
 Hick 30 in. diam. bund. N 55 W. 25 links out; &
 Hackberry 20 " " " S 44 E. 25 " "
 Good land; Timber Oak Sugar, & Walnut.

Went On the South Boundary of Sec. 31. T. 9. N. R. 5 W.
 4.50 To a River 200 links in, Course S. E.
 40.00 Set a post from which
 Oak 18 in. diam. bund. S 62 W. 17 links out; &
 Do. 22 " " " N 15 E. 50 " "
 52.00 To a River 200 links in, Course N. E.
 70.50 " " Do. 200 " " " S. E.
 80.00 Fell 300 links South of the Temp. post & set a
 post for the cor. of T. 8 & 9 N. R. 5 6 & 7 W. from which on
 Oak 12 in. diam. bund. N 36 E. 46 links out; &
 Hick 13 " " " S 17 W. 55. " "
 Land not River bottom.

East Boundary.

Apr 24. 1811

77

T. No 9. N.R. No 577 2nd Mm. Ind:

North On the East Boundary of Sec. 36. T. 9. N.R. 577.
 21.00 To a creek 75 links wide, Corner E.
 40.00 To a 74 support; from ~~where~~ in the N. Side of a
 creek 75 links wide, running S.W. a Water Bush,
 6 in dia? stands 105 links in South South side?
 80.00 Set apart for the cor. of Sec. 25 & 36 from which a
 77 Oak. 15 in. dia? bears N 21 E. 33 links curb; & a,
 Hick. 7 16 " " " S 54 W. 15 " "
 Sand and timber same as last mile.

North On the East Boundary of Sec. 25. T. 9. N.R. 577.
 40.00 To a 74 support from which a
 7 Bush. 9 in dia? bears N 57 W. 7 links curb; & a,
 Ho. 24 " " " S 37 E. 46 " "
 57.25 To a 7 Oak. 20 in dia? in the line.
 80.00 Set apart for the cor. of Sec. 24 & 25 from which a
 Gum. 13 in dia? bears N 64 W. 37 links curb; & a,
 Bush. 14 " " " S 71 E. 70 " "
 Sand and timber same as last mile.

North On the East Boundary of Sec. 24. T. 9. N.R. 577
 20.00 To a Bush 10 links wide, Corner E.
 38.00 To a Spring 8 ft. " " S.
 40.00 To a 74 support from which a
 Bush. 13 in dia? bears S 20 W. 33 links curb; & a,
 Ho. 18 " " " N 30 E. 16 " "
 80.00 Set apart for the cor. of Sec. 13 & 24 from which a
 Elm. 30 in. dia? bears S 30 W. 21 links curb; & a,
 Syc. 9 " " " N 66 E. 24 " "
 Sand hilly; Timber Bush, &c.

North On the East Boundary of Sec. 13. T. 9. N.R. 577
 38.50 To a bush 12 links wide, Corner E. & C.

T. N. 9. N. R. N. 5 W. 2nd Mer. Ind.

- 40.00 Set a post for the cor. of 14 sec. from which a
 Buck 9 in. diam. bears S. 60. E. 20 links wide. &c.
 Do. 9. " " " S. 83. W. 3. " "
- 76.00 To a Buck 12 links wide; Course S. E.
- 80.00 Set a post for the cor. of sec. 12. & 13. from which a
 Sugar. 10 in. diam. bears S. 77 W. 12 links wide; &c.
 Do. 15. " " N. 58 E. 37. " "
 From Buck, leave;

- North On the East Boundary of sec. 12. T. 9. N. R. 5 W.
- 40.00 Set a post from which a
 Buck. 17 in. diam. bears S. 59 W. 61 links wide; &c.
 Ironwood 6. " " N. 24 E. 55. " "
- 53.00 To a Sugar. 10 in. diam. in the line.
- 80.00 Set a post for the cor. of sec. 1. & 12 from which a
 Sugar. 8 in. diam. bears S. 67 W. 21 links wide; &c.
 Sassafras 9. " " N. 67 E. 6. " "
 Land same as last mile.

- North On the East Boundary of sec. 1. T. 9. N. R. 5 W.
- 25.00 To a Buck 12 links wide, Course E.
- 40.00 Set a post from which a
 Buck. 1 in. diam. bears S. 71 E. 12 links wide; &c.
 Oak. 24. " " N. 60 W. 26. " "
- 47.50 Struck Imp. post;
- 80.00 Set a temp. post for the cor. of T. 9 & 10. N. R. 5 W.
 Land 2nd rate; Timber Buck, Poplar, &c.

- North Boundary Apr. 23 1811
- East On a Meridian line between Towns. 9 & 10 N. R. 5 W.
 6 miles and set a temp. post;
- West On the South Boundary of sec. 36. T. 10 N. R. 5 W.

10.50	To a Brook 15 miles mid, Corner S.E.
40.00	Set a 74 sq post from which No goods 4 in. dia. trees N 30 E 9 miles each; & a Back 3 " " " N 49 W 23 " "
80.00	Set a post for the cor. of sec. 35 & 36 from which Back 16 in. dia. trees N 45 E 33 miles each; & a Sugar 10 " " " S 70 W 24 " " Sands hilly; Timber Buck, 45.
West	On the South Bound of sec. 35. T. 10 N.R. 5 W.
40.00	Set a 74 sq post from which Poplar 40 in. dia. trees N 80 E 22 miles each; & a Back 18 " " " S 75 W 35 " "
80.00	Set a post for the cor. of sec. 34 & 35 from which Back 13 in. dia. trees S 55 E 50 miles each; & a Sugar 10 " " " N 66 W 46 " " Sands middling good. Timber Buck, Oak, Poplar &
West	On the South Bound of sec. 34. T. 10 N.R. 5 W.
40.00	Set a 74 sq post from which Back 13 in. dia. trees N 74 W 23 miles each; & a No 10 " " " S 44 E 15 " "
47.00	To a Brook 10 miles mid, Corner N. W.
80.00	Set a post for the cor. of sec. 33 & 34 from which Back 16 in. dia. trees N 38 E 10 miles each; & a No 16 " " " N 70 W 22 " " Sands middling good; timber Buck,
West	On the South Bound of sec. 33. T. 10 N.R. 5 W.
37.50	To a Brook 30 miles mid, Corner S. W.
40.00	Set a 74 sq post from which Back 6 in. dia. trees S 20 W 10 miles each; & a Box Elder 3 " " " N 30 E 12 " "

T. N. 9. N.R. N. 5. W. 2nd Mer. Ind.

80.00	The last named Post stands in about 20 links mid. C.S. Set a post for the cor. of sec. 32 & 33. From which a Beck. 18 in. dia. beam. S 56 E. 36 links each; & a Loc. 12 " " " N 25 W. 18 " " Sand hole; Timber Beck & c.
West	On the South Boundary of sec. 32 T. 90. N. R. 5 W.
10.00	To a Rock 10 links mid. Corner S.E.
40.00	Set a post from which a Beck. 4 in. dia. beam. N 75 W. 17 links each; & a Loc. 16 " " " S 68 E. 27 " " 80.00 Set a post for the cor. of sec. 31 & 32 From which a Beck. 15 in. dia. beam. N 17 W. 25 links each; & a Loc. 13 " " " S 7 W. 43 " " Poor Beck Sand.
West	On the South Boundary of sec. 31. T. 10 N. R. 5 W.
40.00	Set a post from which a Beck. 14 in. dia. beam. S 20 E. 13 links each; & a Beck 10 " " " N 45 E. 15 " " 80.00 Set 200 links South of the stump Post: and set a Post for the cor. of T. 9 & 10. N. R. 5 & 6 W. From which a Beck 8 in. dia. beam. S 42 E. 27 links each; & a Logwood Co. " " N 47 W. 13 " " Sand for and Chilly; Timber Beck.
West Boundary. Apr. 22. 1811	
North	On the East Boundary of sec. 36. T. 9 N. R. 6 W. From the cor. of T. 8 & 9. N. R. 5 & 6 W.
6.00	To a Rock 200 links mid. Corner E.
40.00	Set a post from which a Beck 3 in. dia. beam. S 53 E. 15 links each; & a Stump Oak P. " " N 17 W. 2 " "

T. N. 9 N.R. N. 5 W. 2nd Mer. Ind. a

81

80.00	Set apart for the cor. of sec. 25 & 36 from which a Gum. 12 in. diam. trees. N 82 E 10 links each; & a Oak. 17 " " " S 82 W 20 " " Land out Bottom.
North	On the East Boundary of sec. 25 T 9 N R. 6 W
14.50	To a sugar. 9 in. diam. stands in the line.
40.00	Set apart for the cor. of sec. 24 & 25 from which a Buck 18 in. diam. trees N 32 W 48 links each; & a Oak. 16 " " " S 52 E 13 " "
80.00	Set apart for the cor. of sec. 24 & 25 from which a Buck 14 in. diam. trees N 75 E 49 links each; & a Oak. 30 " " " S 57 W 43 " " Land good; Timber Buck.
North	On the East Boundary of sec. 24 T 9 N R. 6 W.
38.00	To a Buck 10 links each, Comes E.
40.00	Set apart for the cor. of sec. 24 & 25 from which a Buck 24 in. diam. trees N 41 E 2 links each; & a Oak. 15 " " " S 84 W 28 " "
80.00	Set apart for the cor. of sec. 13 & 24 from which a Oak. 20 in. diam. trees S 21 W 10 links each; & a Gum. 30 " " " N 60 E 45 " " Land good; Timber Buck. 15.
North	On the East Boundary of sec. 13 T 9 N R. 5 W.
32.00	To a Buck. 12 links each. Comes N.E.
40.00	Set apart for the cor. of sec. 12 & 13 from which a Buck 20 in. diam. trees S 20 E 45 links each; & a Oak. 12 " " " N 32 W 11 " "
71.50	To a Buck. 12 links each, Comes N.E.
76.00	" " " " 12 in. diam. in the line.
80.00	Set apart for the cor. of sec. 12 & 13 from which a

T. N. 9. N.R. N. 57. 2nd Mer. Ind?

Black 15 in. dia. beam. S 78 W. 8 links each; &c.
 Buck 12 " " " N 55 E. 12 " "
 This mile is poor Buck land;

North On the East Point of Sec. 12. T. 9. N.R. 6 W.
 34.00 To an Ash 14 in. dia. stands in timber.
 40.00 Set a 1/4 sec. post from which a
 Buck 11 in. dia. beam. S 36 W. 10 links each; &c.
 W Oak 15 " " " N 76 E. 32 " "
 73.50 To a Brook 10 links wide, Course E.
 80.00 Set a post for the cor. of sec. 1 & 12 from which a
 Gum 16 in. dia. beam. N 45 W. 7 links each; &c.
 Buck 13 " " " S 73 E. 17 " "
 Land and timber same as last mile.

North On the East Point of Sec. 1. T. 9. N.R. 6 W.
 20.50 To a Black 15 in. dia. stands in the line.
 40.00 Set a 1/4 sec. post from which a
 Sycamore 40 in. dia. beam. N 38 E. 40 links each;
 & a Buck 4 " " " S 5 W 9 " "
 45.50 To a Brook 25 links wide, Course S.E.
 80.00 Set a timber post for the cor. of T. 9 & 10. N.R. 5 & 6 W.
 Land and timber same.

Surveyed by
 James Holmes L.S.

Subdivisions

March 14. 1844.

North Section 35 T. 9. N.R. 5 W.
 40.00 Set a 1/4 sec. post from which a
 Sugar 13 in. dia. beam. S 35 E. 11 links each; &c.
 Poplar 48 " " " S 85 W 28 " "
 47.00 To a Brook 13 links wide, Course S.E.
 59.50 " " 10 " " " S W.

T. N. J. N. R. No. 5 W. 2nd Mer. Ind.?

63.00	To a Brook 6 links wide, Course S.W.
80.00	Set a temp ^l post for the cor. of sec. 25, 26, 35 & 36. Land, hilly and rich; Timber Poplar, Sugar, &c.
East	On a Random line between Sec. 25 & 36. T. 9. N. R. 5 W.
West	On the true line between Sec. 25 & 36. T. 9. N. R. 5 W.
40.00	Set a 1/4 sec. post at an oak in the true line from which Logwood 6 in. diam. bears N 28 E. 28 links dist; &c. Hickory 12 " " " S 33 W. 13 " "
69.00	To a Brook 8 links wide, Course S.
76.50	" " No. 3, " " " "
80.00	Set a post for the cor. of sec. 25, 26, 35 & 36 from which Oak 48 in. diam. bears N 53 E. 16 links dist; &c. No. 26, " " " S 77 W. 34 " " Land and timber same. All dist. miles.
North	Between Sec. 25 & 26. T. 9. N. R. 5 W.
40.00	Set a 1/4 Sec. post from which a W. Oak 15 in. diam. bears S. 50. W. 12 links dist. &c. Poplar 20 " " " S. 50. E. 14 " "
80.00	Set a temp ^l post for the cor. of Sec. 23, 24, 25 & 26.
East	On a Random line between Sec. 24 & 25. T. 9. N. R. 5 W.
West	On the true line between Sec. 24 & 25. T. 9. N. R. 5 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Hickory 16 in. diam. bears S. 75. W. 15 links dist. &c. St. 10. " " " N. 60. E. 18. " "
56.00	To a Brook 12 links wide. Course N. E.
80.50	Set a post for the cor. of Sec. 23, 24, 25, 26. from which a W. Oak 16 in. diam. bears S. 63. E. 9 links dist. &c. Sycamore 4. " " " N. 40. W. 17. " "

T. N. 9. N. R. N. 5 W. 2^d 1st Mm. Ind.

Land middling good Timber Buckle.

North	Between Secs. 23. & 24. T. 9. N. R. 5. W.
26. 00	To a Brook 10. links wide; Course N. E.
30. 50	" " Do 8. " " " N. E.
40. 00	Set a post for the cor. of 1/4 Sec. from which a Buck 18. in. diam. bears N. 20. W. 10. links dist. & a Dogwood 4. " " " S. 35. E. 13. " "
57. 00	To a Sugar 15. in. diam. stands in the line
62. 50	To a Brook 8. links wide Course S. E.
80. 00	Set a Tramp ^d post for the cor. of Secs. 13. 14. 23. & 24.
East	On a Random line Between Secs. 13. & 24. T. 9. N. R. 5. W.
West	On a true line Between Secs. 13. & 24. T. 9. N. R. 5. W.
28. 00	To a Brook 5. links wide; Course N. E.
40. 00	Set a post for the cor. of 1/4 Sec. from which a W. Oak 1 1/4 in. diam. bears N. 20. E. 9. links dist. & a Dogwood 4. " " " S. 55. W. 11. " "
45. 00	To a Brook 10. links wide; Course N. E.
80. 00	Set a post for the cor. of Secs. 13. 14. 23. & 24. from which a Hickory 18. in. diam. bears S. 75. E. 13. links dist. & a Buck 15. " " " N. 40. W. 26. " "
North	Between Secs. 13. & 14. T. 9. N. R. 5. W.
23. 50	To a Brook 8. links wide Course S. E.
35. 00	" " Do 10. " " " S. E.
40. 00	Set a post for the cor. of 1/4 Sec. from which a Dogwood 4. in. diam. bears S. 55. W. 5. links dist. & a W. Oak 11. " " " N. 80. E. 14. " "
50. 00	To a Sugar 15. in. diam. stands in the line
52. 00	To a Brook 5 links wide; Course N. E.
66. 50	" " Do " " " East.

T. N. 9. N.R. N. 5 W. 3rd Mer. Ind.

80.00	Get a temp. post for the cor. of Sec. 11. 12. 13. & 14.
East	On a Random line between Sec. 12. & 13. T. 9. N. R. 5. W.
West	On the true line between Sec. 12. & 13. T. 9. N. R. 5. W.
5.00	To a Brook 25 links wide; Course South.
6.50	" " Do " " " " N. E.
9.50	" " Do 25. " " " " S. E.
10.50	" " Do 25. " " " " S. E.
11.50	" " Do 25. " " " " S. E.
40.00	Get a post for the cor. of the Sec. from which a Buck 12 in. diam. bears S. 75. E. 21. links dist. &c Do. 12. " " " " N. 20. E. 13. " "
66.50	To a Brook 4 links wide, Course N.
80.00	Set a post for the cor. of sec. 11. 12. 13 & 14 from which a W. Oak 16 in. diam. bears N 25 W 25 links dist. &c Hick 11 " " " " S W. 20 " " Sound hill; Timber Oak, Buck, &c. March 16. 1814
North	Return to S. 14 W. T. N. 9. N.R. N. 5 W.
37.00	To a Brook 20 links wide, Course S. E.
40.00	Get a 1/2 in. post from which Buck 15 in. diam. bears S 30 E. 8 links dist. &c Sugar. 12. " " " " N 60 W. 18. " "
68.50	To a W Oak 36 in. diam. stands in the line.
74.00	To a Brook 7 links wide, Course S. W.
80.00	Set a post for the cor. of sec. 1. 2. 11 & 12. (Lump 7)
East	On a Random line between Sec. 1. & 12. T. 9. N.R. 5 W.
West	On the true line between Sec. 1. & 12. T. 9. N.R. 5 W.
40.00	Get the temp. 7/16 in. post at an. dist. on the true line from which a Buck 6 in. diam. bears N 20 W. 12 links dist. &c

T. No. 9. N.R. No. 5 W. 3rd Mer. Ind.

	Beck. 10 in. dia. beam. 145 W. 11 links each;
57.50	Iron Rod 8 links wide, Course S.W.
80.00	Set a post for the cor. of sec. 1, 2, 11 & 12 from which a Sugar. 14 in. dia. beam. 160 W. 15 links each; & a No. 12 " " " 145 E. 5 " "
11.00	Land of middling quality; Timber Buck, & Oak.
North	Between Sec. 1 & 2 T. 9. N.R. 5 W.
40.00	Set a post for the cor. of sec. 1 & 2 from which a Beck. 4 in. dia. beam. 140 W. 5 links each; & a Sugar. 14 " " " 160 E. 30 " "
57.00	Iron Rod 3 links wide, Course S.E.
58.00	" " Sugar. 10 in. dia. in the line.
77.50	Intersect the N. Bond. 100 links East of the post cor. of Sec. 35 & 36 T. 10. N.R. 5 W. and set a post for the cor. of Sec. 1 & 2 from which a Beck. 18 in. dia. beam. 160 E. 30 links each; & a Log rod 4 " " " West. 6 " "
	Middling good land; Timber Sugar, & Buck, &.
North	Between Sec. 34 & 35 T. 9. N.R. 5 W.
40.00	Set a post for the cor. of sec. 34 & 35 from which a Beck. 12 in. dia. beam. 125 E. 13 links each; & a No. 15 " " " 135 E. 23 " "
80.00	Set a temp. post for the cor. of Sec. 26, 27, 34 & 35. Land hilly; Timber Sugar, Buck, Oak, &.
East	On a random line between Sec. 26 & 35 T. 9. N.R. 5 W.
West	On the true line between Sec. 26 & 35 T. 9. N.R. 5 W.
20.00	Iron Rod 4 links wide, Course S.
23.50	" " No. 3 " " " S.E.
40.00	Set the temp. post at av. dist. on the true line from which a

T. No. 9. N. R. No. 5 W. D. No. 11. Ind. 87

	<p>Link 12 in. diam. stands N 18 W 34 links dist; & a</p> <p>No. 8 " " " S 60 E, 23 " "</p> <p>79.00 Set a post for the cor. of Sec. 26. 27. 34. & 35. from which a</p> <p>W. Oak 24 in. diam. bears S. 50. W. 4 links dist. & a</p> <p>Sh. 12. " " " S. 40 E. 10. " "</p> <p>Land poor Oak timber.</p>	
North	Between Sec. 26. & 27. T. 9. N. R. No. 5 W.	
13 00	To a Hickory 15 in. diam. stands in the line	
40 00	Set a post for the cor. of 1/4 Sec from which a	
	Hickory 18 in. diam. bears South 58. links dist. & a	
	No. Oak 22. " " " N. 25. W. 12. " "	
62 00	To a Brook 12 links wide; course S. W.	
80 00	Set a temporary post for the cor. of Sec. 22. 23. 26 & 27.	
East	On a random line between Sec. 23. & 26. T. 9. N. R. No. 5 W.	
West	On the true line between Sec. 23. & 26. T. 9. N. R. No. 5 W.	
40 00	Set a post for the cor. of 1/4 Sec. from which a	
	W. Oak 12 in. diam. bears N. 25. W. 22 links dist. & a	
	Sh. 15. " " " S. 55. W. 25. " "	
78. 50	To a Brook 6 links wide; course S.	
80 00	Set a post for the cor. of Sec. 22. 23. 26. & 27. from which	
	a Hickory 15 in. diam. bears N. 13. E. 15 links dist. & a	
	Logwood 6. " " " S. 3. E. 19. " "	
	Scrubby Oak land.	
North	Between Sec. 22. & 23. T. 9. N. R. No. 5 W.	
35. 00	To a Brook 6 links wide Course W.	
40 00	Set a 1/4 Sec post from which a	
	Beech 26 in. diam. bears S. 35. E. 52 links dist. & a	
	No. 20 " " " N. 2. W. 12 " "	
67. 50	To a Hickory 15 in. diam. stands in the line.	

Hilly rich land
Timber Poplar, Sugar, Oak

T. N. 9. N. R. N. 5 W 2nd Mer. Ind.

69.00	To a Brook 5 links wide; Course N.
80.00	Set the temp. post for the cor. of Sec. 14. 15. 22. & 23. Land of a middling quality. Timber Buck, Oak, Sugar, &c.
East	On a random line between Sec. 14 & 23. T. 9. N. R. 5 W. March 16 th . 1814.
West	On the true line between Sec. 14 & 23. T. 9. N. R. 5 W.
29.00	To a Brook 10 links wide; Course S. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck 17 in. diam. bears N. 75. W. 18 links dist. & a Hickory 9. " " " 9. 70. E. 37. " "
72.00	To a Brook 10 links wide; Course S. W.
79.00	" " Do. 10. " " " " S. W.
80.00	Set a post for the cor. of Sec. 14. 15. 22. & 23. from which a Buck 15 in. diam. bears N. 28 W. 38 links dist. & a Do. 10 " " " " N. 48 W. 20 " " Poor scrubby Buck, Land.
North	Between Sec. 14 & 15 T. 9. N. R. 5 W.
5.00	To a Brook 8 links wide, Course S. W.
10.00	" " Do. 4 " " " " S. E.
40.00	Set a 1/4 post from which Oak 48 in. diam. bears N. 61 W. 17 links dist. & a Elm 8 " " " " S. 4 E. 34 " "
48.00	To a Poplar 36 in. diam. in the line
71.50	To a Brook 20 links wide, Course W.
80.00	Set a temp. post for the cor. of Sec. 10. 11. 14 & 15. Land middling; Timber Oak, Buck, Sugar, Poplar &c.
East	On a random line between Sec. 11 & 14. T. 9. N. R. 5 W.
West	On the true line between Sec. 11 & 14. T. 9. N. R. 5 W.

38.00 To a Brook. 3 links mid, Corner N.
 40.00 Set a 74 post from which a
 Brook 14 in. dia. bend. S 18 N. 16 links sub; & a,
 Lo. 18 " " " N 50 E. 36 " "
 80.00 Set a post for the cor. of sec. 10. 11. 14. 15 from which a
 Oak. 12 in. dia. bend. S 10 N. 11 links sub; & a,
 Walnut 36 " " " N 27 N. 25 " "
 Lande hilly & broken Timber Brook Oak & Sugar, &c.

North Return Sec. 10 & 11 T. 9. N. R. 5. W.
 37.00 To a Brook. 24 in. dia. in the line.
 40.00 Set a 74 post from which a
 Brook 14 in. dia. bend. S 50 E. 11 links sub; & a,
 Sugar. 12 " " " West. 28 " "
 43.50 To a Brook. 5 links mid, Corner N. W.
 55.50 " " Lo. 5 " " " N.
 65.00 " " Lo. 5 " " " N.
 69.00 " " Lo. 5 " " " N.
 80.00 Set a temp. post for the cor. of sec. 2, 3, 10 & 11
 Lande 2nd rate; Timber Brook Sugar, Poplar.

East On a Randism line between Sec. 2 & 11 T. 9. N. R. 5. W.

West On the line between Sec. 2 & 11 T. 9. N. R. 5. W.
 19.00 To a Brook. 12 links mid, Corner S.
 40.00 Set a 74 post from which a
 Sugar. 6 in. dia. bend. S 45 E. 4 links sub; & a,
 Oak. 18 " " " N 56 N. 21 " "
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which a
 Sugar. 14 in. dia. bend. N 65 E. 20 links sub; & a,
 Lo. 15 " " " S 27 E. 48 " "
 Lande and timber some at last mile.

T. N. 9. N.R. N. 5 W. 2nd Mer. Ind.

North	Return Sec. 283 T. 9 N.R. 5 W.	
40.00	Set a 74 post from which a Buck. 20 in dia. bund. 570 E. 14 links ash; & a No. 6 " " " 1827 N. 30 " "	
78.50	Intersect the N. 3 corner 50 links East of the post cor. of sec. 34 & 35. T. 10 N.R. 5 W. and set a post for the cor. of sec. 283. From which a Buck. 15 in dia. bund. 522 N. 29 links ash; & a No. 30 " " " 1477 N. 24 " "	
	Land muddling good; Timber Buck, Poplar & Oak	
North	Return Sec. 33 & 34 T. 9 N.R. 5 W.	
40.00	Set a 74 post from which a Oak. 15 in dia. bund. 120 N. 10 links ash; & a No. 18 " " " 140 N. 26 " "	
80.00	Set a timber post for the cor. of sec. 27, 28, 33 & 34 Land and timber same as last mile.	
East	On a random line between Sec. 27 & 34 T. 9 N.R. 5 W.	
West	On the true line between Sec. 27 & 34 T. 9 N.R. 5 W.	
40.00	Set a 74 post from which a Buck. 17 in dia. bund. 580 E. 18 links ash; & a Sugar. 16 " " " 173 N. 29 " "	
55.50	To a Buck 13 links mid, corner N	
80.00	Set a post for the cor. of sec. 27, 28, 33, & 34 from which Oak 36 in dia. bund. 110 E. 7 links ash; & a Oak 20 " " " 580 N. 25 " "	
	Land and timber muddling quality.	
North	Return Sec. 27 & 28, T. 9 N.R. 5 W.	
5.00	To a Buck 25 links mid, corner W	
26.50	" " No. 10 " " " "	

91

T. N. G. N. H. N. 577 2nd Mar. Ind.

40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 15 in. dia. bend. S35W. 17 1/2 links arb; & a No. 5 " " " S27E. 17 " "
80.00	Set a temporary post for the cor. of sec. 21, 22, 27. & 28. Land and timber same as last mile.
Cash	On a Random line between Sec. 22 & 27. T. G. N. H. 577
West	On the same line between Sec. 22 & 27. T. G. N. H. 577
26.50	To a Brook. 18 links wide, Corner S.
40.00	Set a 1/4 sec. post from which a Beach 20 in. dia. bend. N50E. 19 links arb; & a No. 14 " " " S69E. 35 " "
80.00	Set a post for the cor. of sec. 21, 22, 27. & 28 from which a Sugar. 20 in. dia. bend. S88W. 29 links arb; & a No. 15 " " " N5E. 39 " " Land 2 nd rate; Timber same.
North	Between Sec. 21 & 22. T. G. N. H. 577. (March. 17. 1814)
40.00	Set a 1/4 sec. post from which a Oak 36 in. dia. bend. N30E. 21 links arb; & a Oak 20 " " " N30W. 26 " "
80.00	Set a temporary post for the cor. of sec. 15, 16. 21. & 22 Land middling quality; Timber 1/2 Beach Oak & Sugar.
East	On a Random line between Sec. 15 & 22 T. G. N. H. 577.
West	On the same line between Sec. 15 & 22 T. G. N. H. 577
7.00	To a Brook 8 links wide, Corner S.
40.00	Set a 1/4 sec. post from which a Sugar. 18 in. dia. bend. S48E. 14 links arb; & a No. 10 " " " North 19 " "
55.00	To a Brook 6 links wide, Corner N.

T. N. 9. N.R. N. 5 W. 2nd Mer.

8000 Set a post for the cor. of sec. 15, 16, 21 & 22 from which
 1/4 Oak 48 in. dia. bend. N 30 W. 10 links north; & a
 Hickory 12 " " " S 34 E. 25 " "
 Land and timber same as last mile.

North Return Sec. 15 & 16. T. 9 N. R. 5 W.
 15.00 Set a 74 sa post from which a
 Sycamore 24 in. dia. bend. N 45 E. 2 links north; & a
 Buck 18 " " " S 48 W. 36 " "
 40.50 To a Brook 28 links north, corner S. W.
 51.00 " " do. 8 " " " S. W.
 80.00 Set a temporary post for the cor. of sec. 9, 10, 15 & 16.
 Land and timber same as last mile.

East On a Run line between Sec. 10 & 15. T. 9 N. R. 5 W.

West On the Run line between Sec. 10 & 15. T. 9 N. R. 5 W.
 15.00 Set the 74 sa post from which a
 Buck 28 in. dia. bend. S 20 W. 10 links north; & a
 Sugar 6 " " " N 12 W. 35 " "
 60.00 To a Brook 5 links north, corner S. W.
 70.00 " " do. 6 " " " S. E.
 79.00 Set a post for the cor. of sec. 9, 10, 15 & 16 from which a
 Buck 15 in. dia. bend. South 5 links north; & a
 do. 20 " " " S 85 W. 38 " "
 Land 2nd rate; Timber Oak Buck, & c.

North Return Sec. 9 & 10. T. 9 N. R. 5 W.
 16.50 To a Brook 5 links north, corner S. E.
 26.00 " " Oak 30 in. dia. stand in the line.
 39.00 To a Brook 10 links north, corner S. E.
 40.00 Set a 74 sa post from which a
 Buck 15 in. dia. bend. S 13 W. 50 links north; & c.

T. No. 9 N.R. No. 5 W. 2nd Mer. Ind.

80.00	W Oak 16 in. diam. trees 85 W. 14 links each; Set a trap for the capos, for the cor of 28. 29 32 & 33. Lands were fenced bottom; & a ramp
East	On a line between Sal. 28 & 33. T. 9 N.R. 5 W.
West	On the line between Sal. 28 & 33. T. 9 N.R. 5 W.
6.00	To a Brook 25 links wide, comes SW.
37.00	" " do. 16 " " " SW.
40.00	Set a trap for the capos from which a Oak 14 in. diam. trees. 40 W. 5 links each; & a Oak 12 " " " 40 E. 10 " "
80.00	Set a trap for the cor of 28. 29. 32 & 33. Madding Oak Land. From which a Oak 14 in. diam. trees. 55 W. 9 links each; & a do 20 " " " 160 E. 37 " "
North	Between Sal. 28 & 29. T. 9 N.R. 5 W.
22.50	To a Brook 10 links wide, comes SW.
40.00	Set a trap for the capos from which a Oak 20 in. diam. trees. 40 E. 15 links each; & a do. 24 " " " 110 W. 50 " "
57.00	To a W Oak 36 in. diam. in the line.
59.00	To a Brook 9 links wide, comes NW.
80.00	Set a trap for the cor of 20. 21. 28 & 29. Lands 2 nd row; Timber Oak, Birch, Sugar, & Poplar.
East	On a line between Sal. 21 & 28. T. 9 N.R. 5 W.
West	On the line between Sal. 21 & 28. T. 9 N.R. 5 W.
23.00	To a Brook 5 links wide, comes SW.
40.00	Set a trap for the capos from which a Oak 20 in. diam. trees. 154 E. 23 links each & a

79.00	<p>W Oak 24 in. diam. bears West 13 links dist; Set a post for the cor. of Sec. 20. 21. 28 & 29 from which a Buck 14 in. diam. bears N 75 E. 12 links dist. &c, W Oak 20 " " " S 70 W 33 " " Land 2nd rate; Timber Oak Sugar &c.</p>
North	Between Sec. 20. & 21. T. 9. S. R. 5. W.
6.50	To a W Oak 24 in. diam. stands in the line.
40.00	<p>Set a post for the cor. of 1/4 Sec. from which a Poplar 8 in. diam. bears S 22 E. 12 links dist. &c Paper 6 " " " S 38 W 22 " "</p>
42.50	To a Brook 5 links wide; Course W.
65.50	" " Brook 50 " " " " " " " " " " " "
80.00	<p>Set a temporary post for the cor. of Sec. 16. 17. 20 & 21. Land & timber same as on the last mile.</p>
East	On a Random line between Sec. 16. & 20. T. 9. S. R. 5. W.
West	On the true line between Sec. 16. & 21. T. 9. S. R. 5. W.
19.50	To a Brook 30 links wide Course S.
40.00	<p>Set a post for the cor. of Sec. from which a Buck 6 in. diam. bears N. 55. E. 20 links dist. &c Gum 12. " " " " S 57. W. 37 " "</p>
68.50	To a Brook 50 links wide. Course S. W.
79.00	<p>Set a post for the cor. of Sec. 16. 17. 20. & 21. from which a Buck 12 in. diam. bears S. 45. E. 4 links dist. &c Spr. 20 " " " " N. 16. West. " "</p>
	Land 2 nd rate; Timber Buck. Sugar &c.
North	Between Sec. 16. & 17. T. 9. S. R. 5. W.
5.00	To a Brook 8 links wide; Course S. E.
40.00	<p>Set a post for the cor. of 1/4 Sec. from which a Sugar 8 in. diam. bears S. 31. W. 34 links dist. &c</p>

T. N. 9. N.R. N. 571 2nd Mer Ind:

97

79.50	<p>9 Buck. 12 in. diam. bound. N 65 W 28 links each; Set post for the cor. of sec. 4, 5, 8 & 9 from which 9 Buck. 22 in. diam. bound. East 31 links each; & a Sugar. 12 " " " N 82 W 9 " " Land poor and hilly; Timber 1 Buck. & Oak. March 9. 1844.</p>
North	Return Sec. 4 & 5 T. 9 N.R. 571.
28.00	Set a post 8 links each, Corner N.W.
28.00	" " Sugar. 12 in. diam. in the line.
40.00	Set a post from which 9 Buck. 12 in. diam. bound. S 57 W 9 links each; & a Do. 10 " " " N 85 W 8 " " Subvent the N.W. corner 400 links East of the post cor. of sec. 32 & 33. T. 10 N.R. 571 and set a post for the cor. of sec. 4 & 5 from which 9 Buck. 24 in. diam. bound. North 23 links each; & a Logwood 4 " " " S 20 W 24 " " Hilly Oak & Buck. land;
North	Return Sec. 31 & 32 T. 9 N.R. 571.
40.00	Set a post from which 9 Buck. 13 in. diam. bound. N 40 E. 14 links each; & a Sugar. 15 " " " S 35 W 22 " " 80.00 Set a temporary post for the cor. of sec. 29, 30, 31 & 32 Flat wet lands; &c.
East	Quadrangle line between Sec. 29 & 32 T. 9 N.R. 571
West	Quadrangle line between Sec. 29 & 32 T. 9 N.R. 571.
40.00	Set a post from which 9 Buck. 20 in. diam. bound. S 75 E. 15 links each; & a Sugar. 20 " " " N 55 W 19 " "

T. No. 9. N.R. No. 577. 2nd Mrs. Ind.

59.00	To Brook 20 links mid, comes S.W.
60.00	To Swamp 40 links mid, comes S.E.
72.50	To Brook 100 links mid, comes S.
80.00	Set apart for the cr. of Ls. 29, 30, 31, & 32 from which 1 st Bush 13 in. dia: bend. N35 E. 20 links mid; & a 2 nd 10 " " " S25 E. 21 " " Sand & timber same; Timber Oak, Birch, &c.
West	Between Ls. 30 & 31. T. 9. N.R. 577
40.00	Set a 1/4 section from which 1 st Bush 7 in. dia: bend. N85 E. 8 links mid; & a 2 nd 15 " " " S35 W. 20 " "
67.50	To Brook 10 links mid, comes S.
80.00	Set Intreat the West 1/4 Brum N. 100 links South of the post cr. of Ls. 25 & 26. T. 9. N.R. 677 and set apart for the cr. of Ls. 30 & 31 from which Ash 14 in. dia: bend. S59 E. 27 links mid; & a Red Bud 4 " " " N60 W. 12 " " Sand & timber same as last mid.
North	Between Ls. 29 & 30. T. 9. N.R. 577.
17.00	To Brook 100 links mid, comes S.E.
28.00	" " Do. 100. " " " S.W.
32.00	" " do. 100. " " " S.E.
40.00	Set a 1/4 section from which Maple 6 in. dia: bend. S40 W. 10 links mid; & a Do. 15 " " " N35 W. 15 " "
80.00	Set a temporary post for the cr. of Ls. 19, 20, 29 & 30 All swampy bottom land.
East	On a Random line between Ls. 20 & 29. T. 9. N.R. 577
West	On the same line between Ls. 20 & 29. T. 9. N.R. 577

T. N. 9. N. R. N. 577 2nd New Ind.

23.00	Trail Book 4 links mid, corner S.W.
40.00	Set a 74 support from which Book 24 in dir. bend. S 25 E 26 links mid; & Do 18 " " " N 35 E 15 " "
50.50	Trail Book 50 links mid, corner S.
58.50	" " Do. 10 " " " S.E.
80.00	Set a post for the cor. of sec. 19, 20, 29 & 30 from which Book 18 in dir. bend. N 10 E 5 links mid; & W. Oak 5 " " " S 57 E 28 " " West Book, bend;
West	Between Sec. 19 & 30 T. 9. N. R. 577.
18.00	Trail Book 100 links mid, corner S.E.
40.00	Set a 74 support from which Book 8 in dir. bend. N 60 E 6 links mid; & Do. 15 " " " N 12 W 9 " "
80.00	Intersect the West 1 st corner at the first cor. of sec. 24 & 25 T. 9. N. R. 677. Land (not swampy) timber Elm, & Maple.
North	Between Sec. 19 & 20 T. 9. N. R. 577
40.00	Set a 74 support from which Book 14 in dir. bend. S 80 W 10 links mid; & Sugar 14 " " " N 35 E 35 " "
80.00	Set a temporary post for the cor. of sec. 17, 18, 19 & 20. Land and timber some as last mile.
East	On a random line between Sec. 17 & 20. T. 9. N. R. 577
West	On the true line between Sec. 17 & 20. T. 9. N. R. 577
40.00	Set a 74 support from which Book 8 in dir. bend. S 35 E 11 links mid; & Sugar 8 " " " N 25 E 19 " "

T. No 9 N.R. No 577 2nd Mer. Ind.

50.50	To a Brook 6 miles wide, comes S.
80.00	Set a post for the cor. of Lat. 17.18.19 & 20 from which a Sugar. 12 in. diam. beam. 40 W 18 miles west; & 2 W Oak. 24 " " " North 9 " " Land middling quality; Timber Oak, Buck, Sugar,
West	Return Lat. 18 & 19 T. 9 N.R. 5 W. Through swampy lands; the swamp becomes impassable so that we could 30.00 get no farther. March 20 th 1814.
North	Return Lat. 17 & 18 T. 9 N.R. 5 W.
40.00	Set a 74 support from which a Sugar. 13 in. diam. beam. 50 E. 10 miles west; & 2 Buck. 10 " " " N 20 E. 11 " "
53.00	To a Brook 10 miles wide, comes W.
59.00	" " Buck. 20 in. diam. in the line.
63.50	" " Brook. 10 miles wide, comes NW.
68.00	" " Do. 10 " " " S.W.
80.00	Set a triang. post for the cor. of Lat. 17.18.19 & 20. Land middling good; Timber Sugar, Buck, & 2.
East	On a Random line between Lat. 8 & 17 T. 9 N.R. 5 W.
West	On the same line between Lat. 8 & 17 T. 9 N.R. 5 W.
40.00	Set a 74 support from which a Buck. 17 in. diam. beam. 110 E. 35 miles west; & 2 Hogwood 4 " " " S 20 E. 4 " "
80.00	Set a post for the cor. of Lat. 17.18.19 & 20 from which a Hogwood 4 in. diam. beam. 175 E. 11 miles west; & 2 do. 3 " " " N 70 W. 14 " " Land hilly and rich; Timber Sugar, & Buck & 2.
West	Return Lat. 17 & 18 T. 9 N.R. 5 W.

40.00	Set a 1/4 ea Post from which
.	Tree. 20 in. dia. trunk. S 75 E 8 miles out; 7 n,
.	Do. 14 " " " N 60 W 16 " "
51.00	Trail out. 75 miles in, comes S.E.
61.50	" " Do. 30 " " " S.E.
80.00	Intersect the West Road at 50 miles South of the Post on of lat. 12. & 13. T. 9. N.R. 677. and set a Post for the cor of lat. 7 & 18 from which
.	Tree. 18 in. dia. trunk. S 10 E. 25 miles out; 7 n,
.	Poplar. 7 " " " S 75 E 11 " "
.	Land hilly and wet; Timber Birch, Sugar, Poplar, &c.
North	Return Lat 7 & 8 T. 9. N.R. 577
19.50	Trail out. 5 miles in, comes W
40.00	Set a 1/4 ea Post from which
.	Sugar. 5 in. dia. trunk. West 12 miles out; 7 n,
.	Tree. 4 " " " S 80 E. 5 " "
40.25	Trail out 4 miles in, comes W.
75.00	" " Do. 45 " " " W.
80.00	Set a 1/4 ea Post for the cor. of lat. 5, 6, 7 & 8. Land hilly and broken with cuts.
East	On a Random line between Lat. 5 & 8 T. 9. N.R. 577.
West	On the true line between Lat. 5 & 8 T. 9. N.R. 577.
35.00	Trail out 9 1/2 miles comes NW.
40.00	Set a 1/4 ea Post from which
.	Sycamore 36 in. dia. trunk. S 4 E. 26 miles out; 7 n,
.	Tree. 30 " " " N 40 E. 29 " "
69.00	Trail out. 45 miles in, comes S.
75.00	" " Do. 45 " " " NW.
77.00	" " Do. 45 " " " SW.
80.00	Set a Post for the cor of lat. 5, 6, 7 & 8 from which

T^h No 9. N.R. No 5th M. 2nd M^o Ind.

Beck 15 in. dia. bend. N 45 W. 11 links out; & 3
 No. 10 " " " S 35 E. 6 " "
 Sand and timber same as last mile.

West Oak Bottom Jul 6th T 9. N.R. 5 W

16.00 To a Brook 8 links wide, across I

40.00 Set up a post from which

Beck 15 in. dia. bend. South 39 links out; & 3
 No. 36 " " " N 2 E. 15 " "

59.50 To a Brook 8 links wide, across I

63.50 " " No. 50 " " " I

80.00 Enter at the West Boundary 150 links South of the
 post on of No. 1. T 9. N.R. 6 W and set a post
 for the on of No. 687. From which

Oak. 36 in. dia. bend. S 25 W. 37 links out; & 3
 No. 36 " " " N 65 E. 27 " "

Sand, hilly and rich; Timber Sugar, Beech, & Poplar

North Return Jul 5th T 9. N.R. 5 W

40.00 Set up a post from which Beck 30 in. dia. bend
 S 4 E. 23 links out; & 3 Beck 5 in. dia. bend N 18 W. 11 links out

54.00 To a Oak 20 in. dia. in the line.

80.00 Enter at the N Boundary 150 links East of the post on of No. 31-32
 T 10 N.R. 5 W and set a post for on of No. 576. From which Beck 15
 in. dia. bend East 10 links out; & 3 No. 15 in. dia. bend S 5 W. 20 links out

Poor land; Timber Beech, Oak &c. Surveyed by

John Neuchese & }
 Thos Barnett } ch. meas.

James Neelmead Ld.

I certify that the foregoing transcript of the field notes of T^h
 No 9. N.R. No 5th M. 2nd M^o has been compared with the original
 also in this Office and found to be correct

Surveyor General's Office
 Cincinnati, May 13 1841

C. S. Haines
 Sur. Gen.